


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(an auto-generating tool<in>metadata)"

e-mail

Your search matched 1 of 1365662 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

view selected items[Select All](#) [Deselect All](#)

- ☐ 1. **An auto-generating tool for the MPEG-2 formatted test data: ATEP**
 Byoungju Choi; Sunhwa Yeum; Taehee Gwak; Byoungkyu Min;
Software Reliability Engineering, 2001. ISSRE 2001. Proceedings. 12th International Symposium on
 27-30 Nov. 2001 Page(s):192 - 199
[AbstractPlus](#) | Full Text: [PDF\(774 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –

Indexed by
 Inspec

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(an effective testing technique for component<in>metadata)"

[e-mail](#)

Your search matched 1 of 1365662 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding


IEEE STD IEEE Standard

view selected items [Select All](#) [Deselect All](#)

- ☐ 1. **An effective testing technique for component composition in EJBs**
Hoijin Yoon; Byoungju Choi;
[Software Engineering Conference, 2001. APSEC 2001. Eighth Asia-Pacific](#)
4-7 Dec. 2001 Page(s):229 - 236
[AbstractPlus](#) | Full Text: [PDF\(690 KB\)](#) IEEE CNF
[Rights and Permissions](#)

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE -

[Sign in](#)

Web Results 1 - 10 of about 20,000,000 for **generating a file based on data field format definition in anothe**

Tip: Click to get a definition of: [generating file based data field format another file](#)
Or just click on the underlined words in the above colored bar

UCSC Genome Bioinformatics: FAQ

GFF (General Feature **Format**) lines are **based** on the GFF standard **file format**. ... Here is an example of the ninth **field** in a GTF **data** line: ...
genome.ucsc.edu/FAQ/FAQformat - 42k - [Cached](#) - [Similar pages](#)

Apache Lucene - Index File Formats

Starting with Lucene 1.4 the compound **file format** became default. ... This is used to find the location within the **field data file** of the **fields** of a ...
lucene.apache.org/java/docs/fileformats.html - 83k - [Cached](#) - [Similar pages](#)

Use of Fixed Fields in CONSER Records (Library of Congress)

The **definition** of code "m" in 006/00 reads: "Code m is used to identify **field** 006 as containing coded **data** elements relating to a computer **file**. ...
www.loc.gov/acq/conser/ffuse.html - 13k - [Cached](#) - [Similar pages](#)

RLG DigiNews: Volume 4, Number 3

NDLP regards them as appropriate practices **based** on real experience, the nature and ... A **file format** represents the arrangement of the structural and **data** ...
www.rlg.org/preserv/diginews/diginews4-3.html - 92k - [Cached](#) - [Similar pages](#)

Macromedia Flash - Wikipedia, the free encyclopedia

In December 1996, Macromedia acquired a vector-**based** animation software called ... In April of 2006, the Macromedia Flash SWF **file format** specification was ...
en.wikipedia.org/wiki/Macromedia_Flash - 75k - Jun 26, 2006 - [Cached](#) - [Similar pages](#)

Metadata - Wikipedia, the free encyclopedia

As, according to the common **definition**, metadata themselves are **data**, ... These metadata can contain the name of the person who created the **file** (obtained ...
en.wikipedia.org/wiki/Metadata - 64k - Jun 26, 2006 - [Cached](#) - [Similar pages](#)

Template-Based Object Data Configuration File Options

One of the benefits of using the template-**based** config **file format** is that you ... Setting this value to 1 will cause Nagios to **generate** an alert without ...
nagios.sourceforge.net/docs/1_0/xodtemplate.html - 72k - [Cached](#) - [Similar pages](#)

Network Working Group L. Masinter Request for Comments: 2388 Xerox ...

The **definition** of MultiPart/Form-**Data** is derived from one of those applications ... [RFC 1867] Nebel, E., and L. Masinter, "Form-**based File** Upload in HTML", ...
www.ietf.org/rfc/rfc2388.txt - 17k - [Cached](#) - [Similar pages](#)

Brian Jones: Open XML Formats

Generation of documents **based** on business **data** for up-to-date and accurate rich content is ... Well, why shouldn't we do the same things in the **file format**? ...
blogs.msdn.com/brian_jones/ - 115k - [Cached](#) - [Similar pages](#)

CelesTrak: "FAQs: Two-Line Element Set Format"

Therefore, there is no need to change the **format** for **another** 50 years! ... 1.12 represents the ephemeris type (ie, orbital model) used to **generate** the **data**. ...
www.celestrak.com/columns/v04n03/ - 23k - [Cached](#) - [Similar pages](#)

Google Groups results for **generating a file based on data field format definition in another file**



[FMPro file size limitation](#) - comp.sys.mac.databases - May 23, 1995
[Problem oko File makera!](#) - hr.comp.programiranje.baze - Feb 19, 2002
[OPO - filling in tables - how?](#) - comp.databases.oracle - Apr 7, 1996

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

testing application with test input file

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **68,800,000** for **testing application with test input file**. (0.58 seconds)Did you mean: [testing application with **text** input file](#)[Sponsored Links](#)**Test framework for BOINC developers (not intended for general use)**The apps directory contains the following **test applications**:upper_case : converts a file to upper case. concat : concatenates its **input files**. ...boinc.berkeley.edu/test.php - 10k - [Cached](#) - [Similar pages](#)**Application Testing**Business Analysts Can **Test**Cut **testing** costs by 60%. No Coding
www.Worksoft.com**Contents**LOGx-Log on or log off a display device to an **application** · Prefixing commands · Z Mxyy-
Modify scroll ... **Input** to the system **test** compiler · **Input files** ...publib.boulder.ibm.com/infocenter/tpfhelp/current/topic/com.ibm.ztpf.doc_put.02/gtpo1/gtpo1m02.htm - 81k - [Cached](#) - [Similar pages](#)**Contents**Redirecting standard **input**, output, and error devices · Defining and using consecutive data
sets · Printer-destined **files** ...publib.boulder.ibm.com/infocenter/comphelp/topic/com.ibm.aix.pli.doc/ibmx2mst02.htm -46k - [Cached](#) - [Similar pages](#)**Condor-G Example3 - stage an application and input files**log = **test-input-file**.log queue Next compile the **application**, ftp the **input file**, submit the
job to Condor, wait for the job to complete, ftp the output ...www.dartmouth.edu/~rc/classes/intro_grid/CondorG_Example3.html - 7k -[Cached](#) - [Similar pages](#)**Test Run: Five Ways to Emit Test Results as XML -- MSDN Magazine ...**The second way to emit **test** result data to an XML file is to use the XmlDocument ... I store
each **test** case id, **input**, expected, and passfail value into an ...msdn.microsoft.com/msdnmag/issues/06/06/TestRun/default.aspx - 51k -[Cached](#) - [Similar pages](#)**Watij - Web Application Testing in Java**Watij (pronounced wattage) stands for Web **Application Testing** in Java. Based on the
simplicity of ... Element Support: **File** Field support (**input type=file**) ...watij.xwiki.com/ - 27k - [Cached](#) - [Similar pages](#)**XQuery Editor**XQuery scenarios provide an easy way to develop a standard **test** suite for your ...
applications with different processors or against different **input files**, ...www.stylusstudio.com/xquery_editor.html - 27k - Jun 26, 2006 - [Cached](#) - [Similar pages](#)**Software QA and Testing Resource Center - FAQ Part 2**A **test** case is a document that describes an **input**, action, or event and an expected
response, to determine if a feature of an **application** is working ...www.softwareqatest.com/qatfaq2.html - 34k - [Cached](#) - [Similar pages](#)

Haiku :: View topic - R2 mockup

Movies was a neat mention--that'd be a really cool **application** of it, ... If they want to call it "test" or "blah" or something, at least it will be ...

haiku-os.org/forums/viewtopic.php?t=80 - 128k - [Cached](#) - [Similar pages](#)

Haiku :: View topic - Short how-to: Installing the Haiku ...

Have not made more **testing** but I will do that.. later. what I really miss are some kind of.. this **file** replaces this **file**.. specily with the bin folder. ...

haiku-os.org/forums/viewtopic.php?t=225& start=0&postdays=0&postorder=asc&highlight= - 64k - [Cached](#) - [Similar pages](#)

Did you mean to search for: testing application with **text** input file

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

testing application with test input file

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

chained application testing

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 11 - 20 of about 679,000 for **chained application testing**. (0.20 seconds)**Application Testing**www.Worksoft.com
60%. No CodingBusiness Analysts Can Test Cut **testing** costs by

Sponsored Link

Sponsored Links

Application TestingAdd realism to your app. **testing**
with this Network Emulator
www.itheon.com**Application Testing**Functional **Application**? Test it w/
QA Wizard. Free Evaluation Today!
www.seapine.com**[PDF] Application Note 1022 Boundary-Scan, Silicon and Software Enable ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)scan **chain**. SYSTEM LEVEL JTAG **TESTING**. Typically, boards are
designed with only one scan **chain**. ... The SCAN EASE **application** code
was defined to be modu- ...www.fairchildsemi.com/an/AN/AN-1022.pdf - [Similar pages](#)**Resilient Fast Ethernet Ring - RAD Data Communications**An independent Mier Communications Lab **test** published in the September issue ... REFER
White Paper **Application** Drawing. REFER Ring and Daisy-**Chain Application** ...www.rad.com/Article/0,6583,24113,00.html - 74k - [Cached](#) - [Similar pages](#)**Telnet Networks Inc. - Shenick diversifEye Application Server Testing****Test application** server in client only mode or network only mode of operation using client
and server ... Expandable to support daisy **chained** solutions ...www.telnetnetworks.ca/products/lab/performance-quality-assurance/application-server-testing.cfm - 15k - [Cached](#) - [Similar pages](#)**[PDF] Beating the BGA test blues**File Format: PDF/Adobe Acrobat - [View as HTML](#)The **application** runs. at full speed, and all devices. on the JTAG scan **chain** are.
monitored. Tools that do this type of. **testing** rely on a graphical user ...www.eetasia.com/ARTICLES/2006MAR/PDF/EEOL_2006MAR01_TPA_TA_01.pdf -[Similar pages](#)**Product News: HAYSTACK Online for Windows**The new, 2.0 version of HAYSTACK Online also includes installation enhancements driven
by the comprehensive NMCI **Application Testing** Process. ...www.ihserc.com/product-news/haystack-online.html - 23k - [Cached](#) - [Similar pages](#)**[PDF] Sycard Technology**File Format: PDF/Adobe Acrobat - [View as HTML](#)verification **applications**. This **application** note discusses the use of the USBtest 2000 in ...The second reason to **test** with **chained** hubs is for engineering ...www.sycard.com/docs/appnt11.pdf - [Similar pages](#)**Software Magazine - SOA Testing using Black, White and Gray Box ...**Can be **chained** and dependent on other 3rd party Web services that can change ... In this
paper, we investigate **testing** techniques and their **application** to ...www.softwaremag.com/L.cfm?doc=958-6/2006 - 31k - Jun 26, 2006 -[Cached](#) - [Similar pages](#)**Application Development Trends - Testing e-commerce**


... of systems distributed across a multitude of daisy-**chained** servers and connected by a ...
And while these scripts will be used for **application testing**, ...
www.adtmag.com/article.asp?id=3803 - 48k - [Cached](#) - [Similar pages](#)

think-box | Developer Testing

*Jameleon is an automated functional **testing** tool that separates **applications** into features that can be **chained** together, creating data-driven **test-cases**. ...
www.think-box.co.uk/developerTesting.html - 20k - [Cached](#) - [Similar pages](#)

nntp.perl.org - perl.cpan.testers (208448)

However, it appears that there were some problems **testing** your distribution. ... 19
21:07:49 2005] Checksum matches for 'Class-Accessor-**Chained**-0.01.tar.gz' ...
nntp.perl.org/group/perl.cpan.testers/208448 - 15k - [Cached](#) - [Similar pages](#)
[[More results from nntp.perl.org](#)]



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google